

RFID PVC NFC

1. RFID PVC NFC
NFC NXP Ntag213 Mifare S50 NXP C 512
ISO 14443A
13.56 MHz/HF
R/w 100000
EPPROM: 64 192 144 512 1 k EPPROM
3-10

2. PVC/PET
25 35 * 35 43 * 26 50 * 50 86 * 54
0.2-0.5 mm 0.8-1

3. 5-10
-25 °C-50 °C
20%-90%RH
-40 °C-65 °C

4. UV

5. NFC NFC NFC NFC NFC NFC NFC NFC NFC

6. NFC NFC NFC NFC NFC NFC NFC NFC NFC
100 pc/10 20
2000 pc/ 3000 pc/ 5000 pc 1-3 /1000pcs
10 K 5-7
express(DHL, FEDEX)
EXW FOB CIF CNF
TT
6,000,000 pc/
ISO9001-2008 SGS ROHS EN71

RFID PVC NFC



NFC 100/NFC 200/NFC 300

100 pc/10 20 30

200 pc/ 300 pc/ 500 pc 1-3 1000pcs 10000

Packing



Packed By Pieces with OPP Bags



Packed By Roll



Protect with Bubble Pack



Outside Carton Package

□□□□ NFC □□/□□ NFC □□/□□ NFC □□□



☐☐ NFC ☐☐/☐☐ NFC ☐☐/☐☐ NFC ☐☐

Extensive Experience with NFC



NFC ☐☐/☐☐/☐☐☐☐☐☐

