

<p>RFID</p>	<p>LF 125 kHz GK4001 EM4200 EM4100/EM4102 EM4550 EM4069 ATA5577 ATA5567 T5557 HITAG 1 HITAG 2 HITAG S256 HITAG S2048</p> <p>HF 13.56 MHz 1) Type1 Topaz512(454 bytes); 2) 2 Ntag213(144 bytes) Ntag215(504 bytes) Ntag216(888 bytes) MIFARE Ultralight® EV1(48 bytes) MIFARE Ultralight® C(148 bytes) MIFARE MIFARE 3) 4 MIFARE® DESFire® EV1 2 K MIFARE® DESFire® EV1 4 K MIFARE® DESFire® EV1 8 K MIFARE DESFire NXP 4) MIFARE® 1k MIFARE MIFARE NXP 5) MIFAREPlus® MIFARE MIFARE 6) FM11RM08 TI2048 SLI 7) SRT512</p> <p>860-960 MHz ISO/IEC 18000-6c EPC Class1 Gen2:ALI9662 ad824 AD803 AD830 U G2XL U G2XM U GEN2 3 ISO/IEC 18000-6B:U HSL EM4324</p>
<p>RFID</p>	<p>RFID</p>
<p>RFID</p>	<p>100 10 20</p>
<p>RFID</p>	<p>RFID 5-7</p>
<p>RFID</p>	<p>express(DHL,FEDEX)</p>
<p>RFID</p>	<p>EXW FOB CIF CNF</p>
<p>RFID</p>	<p>TT</p>
<p>RFID</p>	<p>500</p>
<p>RFID</p>	<p>RFID</p>





□□□□□□□□□□□□□□□□