

RFID 13.56MHz RFID

1. Specification

NXP Ntag213 Mifare S50 NXP NXP C 512
ISO 14443A
13.56MHz / HF
3x10

2. Profile

PVC / PET /
85.5 * 54 * 0.84

3. Working

5x10
-25°C-50°C
20%-90%RH
-40°C-65°C

4. Craft

- preprinting CMYK & ;
- signature
- magnetic 3000E 2750E 4000E
- barcode Code39 Code128 EAN8 EAN13
- numbering
- encoding

RFID 5. Application

IC ·

6. Package

RFID 22.5 * 9.3 * 6 200 / 10 / 14
10K 5-7
DHL
EXW FOB CIF CNF
TT
6,000,000 /
ISO9001-2008 SGS ROHS EN71

RFID 13.56MHz RFID



RFID 13.56MHz

RFID 22.5 * 9.3 200 * 6 10 / 14

Packing



OPP Bag for Individual Card



250/200 pcs Cards with Clear Paper



Inner Box Package



Outside Carton Package

RFID□□□□□□□□



□□□□□□□□


Related Products



 <p>1.NFC Stickers</p>	 <p>2.NFC Epoxy Tags</p>	 <p>3.Silicone Wristbands (Adjustable Type)</p>	 <p>4.Silicone Wristbands (Full Sealed Type)</p>
 <p>5.Woven NFC Wristbands</p>	 <p>6.NFC Keyfobs</p>	 <p>7. NFC PVC Tags</p>	 <p>8. Anti-metal Stickers</p>

□□□□

Exhibition



RFID
RFID
RFID
RFID

RFID
RFID

RFID / NFC
OPPO RFID / NFC
NFC

RFID <http://www.nfctagfactory.com/>