

XXXXXXXXXXXXXXXXXXXX

□□

- 1.Common□□□□80 * 50 * 0.35/mm□□□□□□□□
- 2.Material□□□□□□□□□□□□□□□□□□
- 3.Certificate□SGS□ISO9001 - 2000

□□□□







□□

□□	□□□□□□□□
□□□□□□□□□□	85 * 54,80 * 50,85 * 50□□□□□□□□□□□□□□□□□□
□□	0.3□2□□□□□□
□□□□□□	100□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	□□□□□□□□printnig
□□□□	□□□□100□
□□□□	5 - 7□□□□□□□□□□
shipment□	□□□□□□□□□□□□□□
□□□	ISO1999-2001□SGS
□□□□	40,000,000□/□□
□□□□	FOB□CIF□EX-W□□□□□
□□□□	T / T□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Test Results:

Test Description:

Question No. 500 Sample ID: Developer
1 CH451986001 TET test (visual)

Remarks:

- (1) Single = 1 item = 0.001%
- (2) MS = Method Detection Limit
- (3) ND = Not Detected (< MS)
- (4) Y = Not Required

Reference to Standards:

Test method: (1) MS reference to IEC 62027-2:2012, determination of Cadmium by ICP-MS
(2) MS reference to IEC 62027-2:2012, determination of Lead by ICP-MS
(3) MS reference to IEC 62027-2:2012, determination of Nickel by ICP-MS
(4) MS reference to IEC 62027-2:2012, determination of Manganese by ICP-MS
(5) MS reference to IEC 62027-2:2012, determination of Molybdenum by ICP-MS
(6) MS reference to IEC 62027-2:2012, determination of Potassium by ICP-MS
(7) MS reference to IEC 62027-2:2012, determination of Sodium by ICP-MS
(8) MS reference to IEC 62027-2:2012, determination of Strontium by ICP-MS
(9) MS reference to IEC 62027-2:2012, determination of Vanadium by ICP-MS
(10) MS reference to IEC 62027-2:2012, determination of Zirconium by ICP-MS

Element	MS	MS	MS	MS
Cadmium (Cd)	1.00	ng/kg	2	MS
Lead (Pb)	1.00	ng/kg	2	MS
Nickel (Ni)	1.00	ng/kg	2	MS
Manganese (Mn)	1.00	ng/kg	2	MS
Molybdenum (Mo)	1.00	ng/kg	2	MS
Potassium (K)	1.00	ng/kg	2	MS
Sodium (Na)	1.00	ng/kg	2	MS
Strontium (Sr)	1.00	ng/kg	2	MS
Vanadium (V)	1.00	ng/kg	2	MS
Zirconium (Zr)	1.00	ng/kg	2	MS

SGS logo and contact information at the bottom of the report page.

SGS Test Report



ISO9001 - 2008 Certificate