

# RFID

RFID 100% ...

RFID ...

RFID PVC RFID ...

RFID:

RFID:	RFID
RFID:	RFID
RFID:	RFID: $\phi$ 55 62 65 74 mm
RFID:	RFID
RFID:	RFID

<p>□□□□□□□□:</p>	<p>LF 125 KHz  GK4001□EM4200□EM4100/EM4102□EM4550 □□  □□EM4069□ATA5577□ATA5567□T5557 □□□□HITAG 1□HITAG  2□HITAG S256□HITAG S2048 □□□</p> <p>HF 13.56 MHz  1)□Type1  Broadcom Topaz512(454 bytes);  2)□□□□ 2  NXP Ntag213(144 bytes)  NXP Ntag215(504 bytes)  NXP Ntag216(888 bytes)  MIFARE □ Ultralight® EV1(48 bytes)  MIFARE □ Ultralight® C(148 bytes)  MIFARE □ MIFARE Ultralight NXP □□□□□□□□□□□□□□□□□□□□  3) □□□ 4  MIFARE® □ DESFire EV1 2 K  MIFARE® □ DESFire EV1 4 K  MIFARE® □ DESFire EV1 8 K  MIFARE DESFire □□□□□□ NXP □□□□□□□□□□□□□□□□□□□□□□□□  4) MIFARE® (1 K □□□)  MIFARE □□□ MIFARE Classic□□□□□□ NXP □□□□□□□  5) MIFAREPlus®  MIFARE □□□ MIFARE □□□ NXP □□□□□□□□□□□□□□□□□□□□□□□□  6) □□ FM11RM08□TI2048□NXP ICODE SLI□NXP ICODE Slix □□□□□□□  7) SRT512</p> <p>UHF 860 ~ 960 MHz  ISO/IEC 18000-6 C EPC Class1  Gen2:AL19662□AD824□AD803□AD830□U □□□ G2XL  U □□□ G2XM□U □□□ GEN2 □□□□□ 3  ISO/IEC 18000-6B:U □□□ HSL□EM4324 □□□</p>
<p>□□□□□:</p>	<p>100 □/opp □□1000 □□□□□□□□/□□□□</p>
<p>□□□ □□□□</p>	<p>□□□□□ 8-15 □</p>
<p>□□□□□</p>	<p>express(DHL,FEDEX)□□□□□□□□</p>
<p>□□□□□:</p>	<p>EXW (□□□)□(□□□) FOB□CIF CNF □□□□□</p>
<p>□□□□□□□:</p>	<p>TT□L/C□□□□□□□□□□□□□□□□□□□□□□□□</p>
<p>MOQ:</p>	<p>500 □</p>
<p>□□□□□□□□□□:</p>	<p>□□□□□□□□□□□□□□ □□□□□□□□□□□□□□</p>

□□□□□





[RFID 腕帶](#)



# Company Introduction

## Office

3,000 m<sup>2</sup> office, 250+ professional sales service you!



 Shenzhen Great Creativity Smart Card Co.,Ltd.

## Factory

12,000m<sup>2</sup> clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.

