CJ2712A□ FCC □□□(902~928MHz)□ □□ □□□ UHF RFID □□□□ □□ □□, □□ VSWR □ □□ □□ □□□ □□□ □□ □□. □□□ □□, □ □□ □ □□□ □□□□ □□ □□□□ □□□□ □□□□□. UHF RFID □□□□ □□ □□, □□ □□, □□ □□ □ □□ □□□□ □□ □□□□□.

□□:
□□ □□□: 902~928MHz
□□: □□ □□
□□: 12dBi
□□ □□□□:

□□□ □□□□	
□□□ □□	445mm×445mm×40mm
□□□ □□	60cm×48cm×11cm
□□□ □□	□ 1.95kg
□□□ □□□	□ 3.95kg
□□	ABS
□□	□□□
□ □□	Φ40mm~80mm
□□□ □□□ □□ □□ □□	60m/□
□□ □□	-40~70℃
□□ □□□	
□□ □□□	902~928MHz
□□	12dBi
□ □	□□: 45°, □□: 45°
□□ □□	□□□□
□□ □□□□(VSWR)	≤1.5
□□ □□	≥25
□□□□	50Ω
□□ □□ □□	100W
□□□ □□	N

Product Details

01

Product lists: 1pc antenna,1pc power adaper,1pc plug,1pc data line,1pc installation bracket

Installation bracket

Power adapter/Plug

Data Line

02

Packaging Details:
1 set 1 small case
1 set package weight: 3.95kg
Package size: 60cm×48cm×11cm

Inside packaging

one set packaging

5 sets packaging

Applications:

Intelligent vehicle management
Such as vehicle access control, non-stop charging, customs clearance, parking, auto weighing industry, etc;
Production automation, visualization management;
Logistics industry Such as container management, pallet management, etc;
Access control system;
Asset management, etc.