## 



1. 000000 00 00 : 000, PVC, PET, 00 PVC, 000

- 2. 000 00 00 00
- 3.Customized [][] []
- 4. 00 0000 000 0 0000

## NFC | | | | | | | | :

	000 00, PVC, 000.
	35 * 35mm 00 000 000 0.
	0.4-0.5mm   0.8-1mm   0   0   0   0   0   0   0   0   0
	HF: 13.56Mhz
	ISO14443A.
	NXP Ntag213, Mifare S50, NXP Ultralight, NXP Ultralight C, Broadcom Topaz 512 🛘
EPPROM:	64 000, 192 000, 144 000, 512 000, 1k 000 0 00 EPPROMO 00 0.
	LF / HF : 3-10cm.
	6,000,000 PC / □.
	ISO9001-2008, SGS, ROHS, EN71.

## 000 00 00:









 $00:000\;000\;00\;00\;00\;00\;000.$ 

### **Packing**



Packed By Pieces with OPP Bags



Protect with Bubble Pack



Packed By Roll



Outside Carton Package



#### 

NFC  $\square$  / NFC  $\square$  / NFC  $\square$  :

NFC 000 00, NFC 00 00000 000, 00 00, 00 000, NFC 00 000, 000 00, 000 00, 00

# Extensive Experience with NFC



□□ Chuang Xin Jia □□□ □□ Co., □□ □□ □ 15 □□ □□ □□□ □□□ □□□ RFID □□ / NFC □□, RFID ID □□, RFID □□, NFC □□□, □□□□ □□□ □□□□□□. □□□ □□□□□□ Sony, Samsung, OPPO, British Telecom e□ □□□□□.tc.