

□ □□ □□

□□ :

□ 1.Common □□ : 80 \* 50 \* 0.35/mm □□ □□

□□ 2.Material : □□ □□ □□□□ □□ □□

3.Certificate : SGS, ISO9001-2000





□□ □□ :

□□	□□ □□ □□□□ □□
□□□□ □□ □□	85 * 54,80 * 50,85 * 50mm, □□□ □□ □□
□□	0.3 ~ 2mm
MOQ	100 □
□□□□ □□	□□ □□, □□, □□□□ □, □□, □□ □□□□, □□ □□, □□ □□, □□ □□□□, □□
□□	□□ □□□ printnig
□□□□	□□□□ □□□□ 100 □
□□ □□	5~7□ □□□□ □□ □□
shipment□	□□□□□, □□, □□□
□□□□	ISO1999-2001, SGS
□□ □□	40,000,000 PC□ / □
□□ □□	FOB, CIF, EX-W (□□)
□□ □□	T / T□, □□□□ □□□□, L / C, MoneyGram□ □□□ □□ □□

□□ :  
100pcs/box, 20 □□ / □□



- :
1. □□□□ □□ □ □□ □□□ □□□ □□□ □□ □□□ □□□□□.
  2. □□ (□□ □□ □) □□□ □□□ □□□ □□□□ □□□□.
  3. □□ □□□□□ □□□ □□□□□ □□
  4. □□ □□□ □□□ □□ □□ □ □ □□□□.