



□□ □ □ □□ □□ □□

- 1.Common □□ : 80 * 50 * 0.3mm □□ □□
- 2.Material : □□ □□ □□□□ □□
- 3. □□□ : SGS, ISO9001-2000
- 4.Artwork; □□□ □□, □□ □, □□, □□□, □□ □□

□□	□□ □□ □□□□ □□
□□□□ □□ □□	85 * 54,80 * 50,85 * 50 mm, □□ □□ □□ □□
□□	0.3 ~ 2mm
MOQ	100 □
□□ □□ □□	□□ □□, □□, □□□ □, □□□, □□ □□□□, □□, □□ □□, □□□□ □□□□□□, □□ □□, □□
□□	□□ □□ □□
□□□	□□ □□ 100 PC
□□ □□	□□□□ □□ □□ 5-7days
□□	□□□□, □□, □□
□□□	ISO1999-2001, SGS
□□ □□	40,000,000 PC / □
□□ □□	FOB, CIF, EX-W (□□)
□□ □□	T / T, □□ □□, L / C, MoneyGram, □□□ □□ □□



0000 00 00 00 00

00 0000000 000 00 00 00 0000 0000 00 0000 00 00. 00 0 00 000 00 0000 0000 0000 0000 0000 0000 0000 0000 00

0000 00 00 00 0000



□□ □ □ □□□□ □□ □□□□ □□□□□□.
□□□ □□□□ □□□□ □□□□ □□□□□□!