

RFID 卡片



| | |
|-------------|--|
| 材質: | RFID 晶片, PVC, 銅箔 |
| 尺寸: | 標準 30mm * 35mm, 40 * 25mm 其他尺寸 可訂 |
| RFID 規格: | ISO 14443A |
| RFID 晶片 : | Mifare Ultralight-64Bytes, Mifare S50, Mifare 1k-1K 晶片, Mifare Ntag203-168Byte |
| 頻率: | 13.56MHz |
| 有效距離 : | 標準 10cm (RFID 晶片 可調整有效距離) |
| 資料容量 : | 106kbit / 片 |
| 壽命 / 可讀次數 : | 100,000 次 |

RFID 標籤

- 工作溫度 : -25 ~ 50℃
- 濕度 : 20 % -90 %
- 工作頻率 : -40 ~ 65℃

RFID 應用





00

4 0 000 00, 0 00, 000 00, 00, UV 00, 000 00 0

000 00 00 NFC 00 / 000 00 00 0 00 0 00 000 000 0000. 00 000 0000 00 000 00 0 0 0000. 000 00 000 00 000 00 000 000 00 0 0000.



25mm dia, 30mm dia, 35mm dia, etc



25*25mm, 30*30mm, 35*35mm, etc



40*28mm



80*45mm



35*34mm

☒ ☒ ☒ ☒ ☒ ☒ NFC ☒ ☒ ☒ ☒ ☒ ☒ ☒ ☒ ☒ ☒ ☒ :
info@nfctagfactory.com