

□□□ □□ □□□ □□ □□

□□

- 1.Common □□ : 80 * 50 * 0.3 mm □□ □□ □□ □□
- 2.Material : □□ □□ □□□□ □□
- 3.Certificate : ISO9001-2008
- 4.Artwork : □□□ □□□, □□ □ (die-cut), □□, □□□, □□ □□□





□□□ □□ □□□ □□ □□

□□	□□□□ □□□□□
□□□□ □□ □□	85 * 54,80 * 50,85 * 50mm, □□ □□□ □□□
□□	0.3-2mm
MOQ	100 □
□□ □□□ □□	□□ □□ □□, □□, □□□ □, □□□, □□ □□□, □□ □□, □□, □□□□ □□□□□, □□ □□□ □□ □□
□□	□□ □□□ □□
□□□	□□□ □□ 100 □
□□ □□	5~7□ □□□□□ □
Shippment□	□□, □□, □□□
□□□	ISO1999-2001, SGS
□□ □□	40000000 □ / □
□□ □□	FOB, CIF, EX-W (□□)
□□ □□	T / T, □□ □□, L / C□, □□ □□, □□□□

NBSP &□ □□, □□□ □□ □□□ □□ □□

100 □ / □□, 20 □□ / □□



□□□ □□ □□ □□ □□ □□□ □□ □□, □□ □□□ □□□□□. □□ □□□ □□□ □□□□ □□ □□ □□□□.

□□□ □□ □□ □□□□□ □□□ □ □ □□□□. □□□□ □□ 85 * 54mm, 80 * 50mm □□ □□□ □□ □□□□□.

OU 000 000 00000R 000 00 000 00 00!

000 000 0000 000 00 000 0000!