





100PCS \* 8.5MM 5 \* 12 (5), 20 PCS / BOX, PLYBAG

(100PCS \* 8.5MM 5 \* 12 (5), 20 PCS / BOX, PLYBAG)





Test Results:

Test Description:

Question No. 502 Sample ID: 1001001  
 1. CH451986001 TET lead (total)

Results:  
 (1) Single + Total = 0.001%  
 (2) MSL = Initial Detection Limit  
 (3) ND = Not Detected (<MSL)  
 (4) Y = Not Required

Element Analysis & Trace Elements

Test method: (1)MSL reference to IEC 62321-6:2013, determination of Cadmium in CP-MSL  
 (2)MSL reference to IEC 62321-6:2013, determination of Lead in CP-MSL  
 (3)MSL reference to IEC 62321-6:2013, determination of Mercury in CP-MSL  
 (4)MSL reference to IEC 62321-6:2013, determination of Hexavalent Chromium in CP-MSL  
 (5)MSL reference to IEC 62321-6:2013, determination of Manganese in CP-MSL  
 (6)MSL reference to IEC 62321-6:2013, determination of Nickel in CP-MSL  
 (7)MSL reference to IEC 62321-6:2013, determination of Silver in CP-MSL  
 (8)MSL reference to IEC 62321-6:2013, determination of Tin in CP-MSL  
 (9)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (10)MSL reference to IEC 62321-6:2013, determination of Zinc in CP-MSL  
 (11)MSL reference to IEC 62321-6:2013, determination of Bismuth in CP-MSL  
 (12)MSL reference to IEC 62321-6:2013, determination of Cobalt in CP-MSL  
 (13)MSL reference to IEC 62321-6:2013, determination of Molybdenum in CP-MSL  
 (14)MSL reference to IEC 62321-6:2013, determination of Selenium in CP-MSL  
 (15)MSL reference to IEC 62321-6:2013, determination of Tellurium in CP-MSL  
 (16)MSL reference to IEC 62321-6:2013, determination of Antimony in CP-MSL  
 (17)MSL reference to IEC 62321-6:2013, determination of Arsenic in CP-MSL  
 (18)MSL reference to IEC 62321-6:2013, determination of Barium in CP-MSL  
 (19)MSL reference to IEC 62321-6:2013, determination of Beryllium in CP-MSL  
 (20)MSL reference to IEC 62321-6:2013, determination of Boron in CP-MSL  
 (21)MSL reference to IEC 62321-6:2013, determination of Cadmium in CP-MSL  
 (22)MSL reference to IEC 62321-6:2013, determination of Calcium in CP-MSL  
 (23)MSL reference to IEC 62321-6:2013, determination of Chromium in CP-MSL  
 (24)MSL reference to IEC 62321-6:2013, determination of Copper in CP-MSL  
 (25)MSL reference to IEC 62321-6:2013, determination of Fluorine in CP-MSL  
 (26)MSL reference to IEC 62321-6:2013, determination of Gallium in CP-MSL  
 (27)MSL reference to IEC 62321-6:2013, determination of Germanium in CP-MSL  
 (28)MSL reference to IEC 62321-6:2013, determination of Gold in CP-MSL  
 (29)MSL reference to IEC 62321-6:2013, determination of Hafnium in CP-MSL  
 (30)MSL reference to IEC 62321-6:2013, determination of Iridium in CP-MSL  
 (31)MSL reference to IEC 62321-6:2013, determination of Lead in CP-MSL  
 (32)MSL reference to IEC 62321-6:2013, determination of Lithium in CP-MSL  
 (33)MSL reference to IEC 62321-6:2013, determination of Magnesium in CP-MSL  
 (34)MSL reference to IEC 62321-6:2013, determination of Manganese in CP-MSL  
 (35)MSL reference to IEC 62321-6:2013, determination of Molybdenum in CP-MSL  
 (36)MSL reference to IEC 62321-6:2013, determination of Nickel in CP-MSL  
 (37)MSL reference to IEC 62321-6:2013, determination of Niobium in CP-MSL  
 (38)MSL reference to IEC 62321-6:2013, determination of Osmium in CP-MSL  
 (39)MSL reference to IEC 62321-6:2013, determination of Potassium in CP-MSL  
 (40)MSL reference to IEC 62321-6:2013, determination of Rhenium in CP-MSL  
 (41)MSL reference to IEC 62321-6:2013, determination of Rhodium in CP-MSL  
 (42)MSL reference to IEC 62321-6:2013, determination of Rubidium in CP-MSL  
 (43)MSL reference to IEC 62321-6:2013, determination of Selenium in CP-MSL  
 (44)MSL reference to IEC 62321-6:2013, determination of Silver in CP-MSL  
 (45)MSL reference to IEC 62321-6:2013, determination of Strontium in CP-MSL  
 (46)MSL reference to IEC 62321-6:2013, determination of Tantalum in CP-MSL  
 (47)MSL reference to IEC 62321-6:2013, determination of Tellurium in CP-MSL  
 (48)MSL reference to IEC 62321-6:2013, determination of Thallium in CP-MSL  
 (49)MSL reference to IEC 62321-6:2013, determination of Tin in CP-MSL  
 (50)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (51)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (52)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (53)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (54)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (55)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (56)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (57)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (58)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (59)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (60)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (61)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (62)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (63)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (64)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (65)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (66)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (67)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (68)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (69)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (70)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (71)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (72)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (73)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (74)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (75)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (76)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (77)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (78)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (79)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (80)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (81)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (82)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (83)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (84)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (85)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (86)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (87)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (88)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (89)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (90)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (91)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (92)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (93)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (94)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (95)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (96)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (97)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (98)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (99)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL  
 (100)MSL reference to IEC 62321-6:2013, determination of Vanadium in CP-MSL

Element	MSL	MSL	MSL	MSL
Cadmium (Cd)	1.00	ng/kg	2	MSL
Lead (Pb)	1.00	ng/kg	2	MSL
Mercury (Hg)	1.00	ng/kg	2	MSL
Hexavalent Chromium (Cr(VI))	1.00	ng/kg	2	MSL
Manganese (Mn)	1.00	ng/kg	2	MSL
Nickel (Ni)	1.00	ng/kg	2	MSL
Silver (Ag)	1.00	ng/kg	2	MSL
Tin (Sn)	1.00	ng/kg	2	MSL
Vanadium (V)	1.00	ng/kg	2	MSL
Zinc (Zn)	1.00	ng/kg	2	MSL
Bismuth (Bi)	1.00	ng/kg	2	MSL
Cobalt (Co)	1.00	ng/kg	2	MSL
Molybdenum (Mo)	1.00	ng/kg	2	MSL
Selenium (Se)	1.00	ng/kg	2	MSL
Tellurium (Te)	1.00	ng/kg	2	MSL
Antimony (Sb)	1.00	ng/kg	2	MSL
Arsenic (As)	1.00	ng/kg	2	MSL
Barium (Ba)	1.00	ng/kg	2	MSL
Beryllium (Be)	1.00	ng/kg	2	MSL
Boron (B)	1.00	ng/kg	2	MSL
Copper (Cu)	1.00	ng/kg	2	MSL
Fluorine (F)	1.00	ng/kg	2	MSL
Gallium (Ga)	1.00	ng/kg	2	MSL
Germanium (Ge)	1.00	ng/kg	2	MSL
Gold (Au)	1.00	ng/kg	2	MSL
Hafnium (Hf)	1.00	ng/kg	2	MSL
Iridium (Ir)	1.00	ng/kg	2	MSL
Lithium (Li)	1.00	ng/kg	2	MSL
Magnesium (Mg)	1.00	ng/kg	2	MSL
Rhenium (Re)	1.00	ng/kg	2	MSL
Rhodium (Rh)	1.00	ng/kg	2	MSL
Rubidium (Rb)	1.00	ng/kg	2	MSL
Strontium (Sr)	1.00	ng/kg	2	MSL
Tantalum (Ta)	1.00	ng/kg	2	MSL
Thallium (Tl)	1.00	ng/kg	2	MSL
Thorium (Th)	1.00	ng/kg	2	MSL
Uranium (U)	1.00	ng/kg	2	MSL



SGS Test Report

ISO9001 - 2008 Certificate

SGS 测试报告 质量管理体系认证证书