

Disposable PVC RFID wristbands are made of tri-laminate material that is stretch-resistant and strong, lightweight and flexible. It's ideal for multi-day use and/or rugged wear. Disposable PVC RFID wristbands are suitable for many different types of events.

Product specifications:

Type: one time use RFID wristband.

Material: PVC

Size: 250*30*14mm or as requested.

Frequency: LF/125KHz; HF/13.56MHz; UHF/860-960MHz;

Protocol: ISO 14443A/15693.

Common chip:

-LF(125KHz): TK4100, EM4200, ATA5577, etc.

-HF(13.56MHz): NXP Ntag213, Mifare S50, NXP Ultralight, NXP Ultralight C, Broadcom Topaz 512 etc.

Antenna Material: PET substrate and aluminum foil antenna or copper coil antenna.

Reading distance: 3-10cm for LH/HF depends on the reader and environment.

Working Temperature: -30 °C ~75 °C

Silicone: -30°C - 220°C

Color: Red, Blue, Black, Orange, Yellow, etc.

Craft: Printing, encoding, numbering.

Application: Event/festival, etc.

Package: 100 pcs/OPP bag, 30 OPP bags/ carton.

Delivery date: 7-12 working days for 5K after order confirmation.

Shipping way: by express(DHL, FEDEX), by air, by sea.

Price term: EXW, FOB, CIF, CNF.

Pay term: payment by TT, Western Union, MoneyGram, PayPal.

Product Picture of disposable PVC RFID wristband waterproof



Package of disposable PVC RFID wristband waterproof

(Package of Disposable RFID Wristband: 100 pcs/OPP bag, 30 OPP bags/carton or on your demand.)



Company Information

Shenzhen Chuang Xin Jia produces a wide variety of RFID wristbands, such as disposable RFID paper wristband, disposable RFID pvc wristband, RFID fabric wristband, RFID silicone wristband, etc. Our big clients include Sony, Samsung, OPPO, British Telecom, etc.

Company Introduction

Office

3,000 m² office, 250+ professional sales service you!



Shenzhen Great Creativity Smart Card Co.,Ltd.

Factory

12,000m² clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.

