

CJ2712A UHF RFID FCC 902-928MHz

902-928MHz
 12dBi
 ABS

Dimensions (mm)	445mm x 445mm x 40mm
Weight (kg)	60mm x 48mm x 11mm
Gain (dBi)	1.95
Gain (dBi)	3.95
Material	ABS
Color	White
Mounting Hole	Φ40mm x 80mm
Frequency Range (MHz)	60/
Operating Temperature (°C)	-40-70°C
Frequency Range (MHz)	902-928MHz
Gain (dBi)	12dBi
Beamwidth (°)	45° x 45°
Material	ABS
VSWR	≤1.5
Gain (dBi)	≥25
Impedance (Ω)	50Ω
Power (W)	100W
Material	ABS

01

Product lists: 1pc antenna,1pc power adaper,1pc plug,1pc data line,1pc installation bracket



Installation bracket



Power adapter/Plug



Data Line

02

Packaging Details:
1 set 1 small case
1 set package weight: 3.95kg
Package size: 60cm×48cm×11cm



Inside packaging



one set packaging



5 sets packaging

Applications:

Intelligent vehicle management
Such as vehicle access control,
non-stop charging, customs clearance,
parking, auto weighing industry, etc;
Production automation, visualization
management;
Logistics industry Such as container
management, pallet management, etc.
Access control system;
Asset management, etc.

