

NFC



1. PVC PET PVC

- 2.
- 3.
- 4.

NFC

Material	PVC PET PVC
Size	35 * 35mm
Thickness	0.4-0.5mm / 0.8-1mm
Frequency	13.56Mhz
Standard	ISO14443A
Chip	Ntag213 / Mifare S50 / Ultralight / Ultralight C / Topaz 512
Memory	64 / 192 / 144 / 512 / 1kbit EPPROM
Interface	LF / HF 3-10cm
Temperature	-20 to 85°C
Quantity	6,000,000 / roll
Certification	ISO9001-2008 / SGS / ROHS / EN71

□□□□

□□□□□□□□□□paypal□□□□

□□□□









□□□□□□□□□□□□□□□□
□□□□100□/□□10□/□□20□/□□
□□□□2000□/□□3000□/□□5000□/□□1-3kg / 1000□□□□□□□□□□
□□□□□□□□□□10K□6-7□□□□□□
□□□□□□□□□□DHL□FEDEX□□□□□□□□□□
□□□□□□□□□□EXW□FOB□CIF□CNF□

Packing



Packed By Pieces with OPP Bags



Packed By Roll



Protect with Bubble Pack



Outside Carton Package

NFC□□/ NFC□□/ NFC□□□□□□□□



NFC□□/ NFC□□/ NFC□□□□□□

NFC□□/ NFC□□/ NFC□□□□□□

NFC□□□□□□ NFC□□□□□□□□□□□□□□□ NFC□□□□□□□□□□□□□□□□

□□□□□□□□

Extensive Experience with NFC



NFC

NFC (Nearly Field Communication) Fox nfc nfc

NFC NFC Apps NFC-WiFi

RFID / NFC 15 RFID / NFC RFID ID RFID NFC OPPO etc

NFC info@nfctagfactory.com