□□RFID Mifare□□□

	PVC
	86 * 54 *0.840000 0000
	HF / 13.56MHZ
	ISO 14443A / 15693
	HF 13.56MHz[]
	1∏.Type1
	□ Topaz512 454 □ □;
	20002
	□□□Ntag213□144 □□□
	□□□Ntag215□504 □□□
	□□□Ntag216□888 □□□
	MIFARE Ultralight®EV1 48 0
	MIFARE Ultralight®C[]148[][]
	MIFARED MIFAREDOONXP BVDDDDD DDD
	3040
	MIFARE®DESFire® EV1 2K
	MIFARE®DESFire® EV1 4K
	MIFARE®DESFire®□ EV1 8K
	MIFARE DESFire DONXP BVDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
	40MIFARE®01K 000
	MIFARE MIFARE DONXP BV DODD
	5 MIFAREPlus®
	MIFARE Plus CPU NXP BV NOTE BV
	6000 FM11RM080TI20480000ICODE SLI00001CODE SLIX
	7□SRT512
□□ RFID□□	
	7 <u></u>
	100[/ OPP[] []5000[/[]
	DDDDFOBDCIFDCNF
	SO9001-2008 SGS ROHS EN71 500





Production Process



 $\textbf{RFID} \square \square$

Packing



OPP Bag for Individual Card



250/200 pcs Cards with Clear Paper



Inner Box Package



Outside Carton Package

Office

3,000 m² office, 180+ sales trustable team supporting you!













Factory

7,000 m² clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.











