

RFID PVC

RFID PVC RFID PVC

RFID PVC

CUSTOMIZABLE

Any shape size and color you want



RFID PVC

RFID	RFID
RFID	RFID QR
RFID	13.56mhz 860-920 mhz
RFID	CMYK
RFID	RFID
RFID	2018
RFID	RFID
RFID	500

□□□	□□□□
□□□□□	□□ 300000 □/□□□□□□□□□□ rfid □□□□
□□□□□	100□□OPP□□□□5000□□□□□20□□

□□□□□□□ RFID □□□□□□□□□□□□

□□□□□□□ rfid □□□□□□□□□□□□ [info@nfctagfactory.com](mailto:info@nfctagfactory.com)

Chip type	Protocal	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

**RFID PVC** □□□□□□□

---



## Applications

- ★ Bars, Concerts & Nightclubs
- ★ Fairs, Festivals & Carnivals
- ★ Hotels, Resorts & Cruise Lines
- ★ Water, Theme & Amusement Parks
- ★ Science Centers, Zoos & Aquariums
- ★ Racing, Bowling & Sporting events
- ★ For Help of Lost Kids
- ★ For Identification of Puppies



