

RFID 技术广泛应用于各种场景，如门禁系统、物流追踪、零售管理等。其核心组件包括芯片、天线和塑料载体。本图展示了 RFID 标签的三层结构：顶层为预印塑料（PVC/PET/ABS/PETG），中间为塑料载体支持，底层为预印塑料（PVC/PET/ABS/PETG）。标签内部包含天线和芯片，用于数据传输。



RFID 规格参数

RFID 类型	RFID/NFC
RFID 频率	125Khz/13.56Mhz/860-960Mhz
RFID 材料	PVC/PET/ABS
RFID 厚度	0.84mm
RFID 尺寸	85.5*54mm
RFID 颜色	CMYK/RGB
RFID 接口	ISO7814/7815/ISO14443A/B/ISO15693/ISO18000-6C
RFID 应用	门禁系统/物流追踪/零售管理
RFID 认证	ISO7814/7815/ISO14443A/B/ISO15693/ISO18000-6C
RFID 重量	0.84g
RFID 寿命	10年

CREDIT CARD SIZE



BOX SIZE: 21*9*6CM



PVC CARD: 250PCS/BOX
SMART CARD: 200PCS/BOX



10BOXES/CTN




CRAFT OPTION FOR CARDS

Signature Panel



Magnetic Stripe



Scratch Panel



Bar-code



QR code



UV Spot



Frosted Lamination



Glossy Lamination



Matte Lamination



Transparent



Golden Background




Silver Background



Silver Hot Stamping



Golden Hot Stamping



Eyelet



Hole




Punch



Embossed numbering



Ink-jet Number



Laser Number



Hologram



Related products

1. Comb card-style one



2. Comb card-style two



3. Comb card-style three



4. Comb card-style four



5. Comb card-style five



6. Comb card-style six



□□□□□□□□□□PVC□□□□□□□□□□□□□□□□ info@nfctagfactory.com