

RFID NFC 產品

1. NFC 產品

採用 NXP Ntag213/Mifare S50 晶片，NXP 認證 C 級，512 字節

RFID NFC 符合 ISO 14443A 標準

頻率/速率 13.56 MHz/HF

讀/寫次數 100,000 次

EEPROM: 64 字節/192 字節/144 字節/512 字節/1K 字節，EEPROM 可擦寫

壽命 3-10 年，無損壞

2. 產品

材質 PVC/PET/紙

尺寸 25 毫米/35 * 35 毫米/43 * 26 毫米/50 * 50 毫米/86 * 54 毫米，可定制

厚度 0.2-0.5 mm，0.8-1 毫米，可定制

3. 產品

壽命 5-10 年，無損壞

溫度:-25 °C-50 °C

濕度 20%-90%RH

溫度:-40 °C-65 °C

4. 產品

產品名稱 產品規格 產品數量 產品價格

5. 產品

產品 產品規格 產品數量

產品名稱 產品規格 10 K 5-7 年

產品名稱 產品規格 express(DHL, FEDEX) 產品數量

產品名稱 EXW 產品 FOB 產品 CIF 產品 CNF

產品名稱 產品規格 產品數量

產品名稱 6,000-10,000 pcs/批

產品 ISO9001-2008 產品 SGS 產品 ROHS 產品 EN71

RFID NFC 產品



6. NFC 应用/NFC 应用/NFC 应用

NFC 应用 NFC 应用 NFC 应用 NFC 应用 NFC 应用 NFC 应用 NFC 应用

Extensive Experience with NFC



RFID 15 RFID/NFC RFID/NFC RFID ID RFID NFC NFC OPPO

[illegible]

NFC URL — — URL
web NFC URL 41 NTAG203 nfc 132 URL
(NDEF-NFC)

Available NFC chips

	NXP Mifare Ultralight	NXP Mifare Ultralight C	NTAG213	Topaz512	Mifare 1k
NFC Type	Type 2	Type 2	Type 2	Type 2	Type 2
User memory	64 byte	192 byte	144 byte	512 byte	1k byte
URL Length	41 Characters	132 Characters	132 Characters	132 Characters	256 Characters
Text Length	39 Characters	130 Characters	130 Characters	130 Characters	709 Characters
Data Example	Short URL Phone Number Short email address Short Text	Short URL Phone Number Short email address Short Text	Long URL Phone Number Email address Text Small Vcard	Long URL Phone Number Email address Text Small Vcard	Full Vcard
Lockable	Yes	Yes	Yes	Yes	Technically No
Formatting	Blank or NDEF formatted	Blank or NDEF formatted	NDEF Formatted	Blank or NDEF formatted	Blank or NDEF formatted

[illegible]