

**Advanced
Production Equipment**



□□□□□

□□□□	3,000-5,000□□
□□□□/□□□	□□□□□□□□□□14□□□□□□E□2-4□ 518110
□□□□□□	6
□□□□□□□□	□□ OEM □□□□□□□□□□□□□□
□□□□	5000 □□□ - 1 □□□

Certificates & Rewards



NFC □□□□□□

□□□□	□□□□□ NFC □□□□□
□□□	<ul style="list-style-type: none"> * □□□□ URL * □□□□□□ * □□□□□□□ * □□□□□□□□ * □□□□□□□ WiFi □□ * □□□□□□□□□ * □□/□□□□□□□□□□□□□□ * □□□□□
□□□	□□25mm/30mm□□□□□
□□□	□□4C LOGO□□□□□□□□□□
□□□□	□□□□□□□□□□
□□□□□	□□□ 100% □□□□□□□□

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

Product Display

Epoxy



Regular



