□□□□□

□□□□□	3,000-5,000□□□
□□□□/□□□	□□□□□□□□□□□□□14□□□□□□□E□2-4□ 518110
□□□□□□□	6
□□□□□□□□□	□□ OEM □□□□□□□□□□□□□□□□□□□
□□□□	5000 □□□ - 1 □□□

Certificates & Rewards

NFC □□□□□□□

□□□□□	□□□□□□□ NFC □□□□□□□
□□□	* □□□□ URL * □□□□□□□ * □□□□□□□□ * □□□□□□□□□ * □□□□□□□□ WiFi □□ * □□□□□□□□□□ * □□/□□□□□□□□□□□□□□□□ * □□□□
□□□	□□25mm/30mm□□□□
□□□	□□4C LOGO□□□□□□□□□□□
□□□□	□□□□□□□□□□□
□□□□□	□□□ 100% □□□□□□□□□

Chip type	Protocal	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

Product Display

Epoxy

Regular