




Spezifikationen für RFID-PVC-Visitenkarten:

Material:	Hochwertiges PVC/PET/PETG/ABS
Kartenoberfläche:	Glänzendes/mattes/mattiertes Finish
Physische Dimension:	85,5 * 54 * 0,76 mm oder OEM
Kartengewicht:	5,5 g /- 0,5 g
Betriebs-Temperatur:	-20°C□60°C
Frequenz:	13,56 MHz/125 kHz/860-960 MHz
Verfügbare Farben:	Auf Nachfrage
Verfügbare Druckmethode:	Offset/Siebdruck/Digitaldruck/UV-Druck
Druckfarbe:	Kann beidseitig ein- bis vollfarbig bedruckt werden, sowie Pantone-Farben oder Siebdruckfarben
Kunsth Handwerk:	Unterschriftsfeld, Kratzfeld, UV-Spot Strichcode: CODE128, CODE39, EAN8, EAN13 usw. Heißprägen in Gold-/Silberfolienfarbe Zahlen oder Texte im Thermo-/Inkjet-/Präge-/Lasergravur-/UV-Druck





A. ① Gold Color ② Laser Gold Stamping
③ Gold hot Stamping



B. ① Silver Color ② Laser Silver Stamping
③ Silver hot Stamping



C. ① EAN 13 Barcode ② Code 128 ③ Code 39
④ QR Code ⑤ Card NO. & PIN Code
⑥ Laser Code ⑦ Flat Code



D. ① Gold Magnetic Stripe
② Black narrow Magnetic Stripe
③ Silver Magnetic Stripe



E. ① 4428 Chip ② Large Convex Code
③ Small Convex Code




F. ① 4442 Chip ② Gold Flat Code
③ Gold Silk Screening ④ Silver Silk Screening



G. ① Silver drawbench ② Frosted UV



H. ① Pearlescent Color ② Anti-fake label
③ RFID Chip



I. Embossed printing



J. Laser Material



K. ① Matt finish ② Gold drawbench
③ UV vanish



L. ① Frosted finish ② Metal Label

