Material:	Beschichtetes Papier/PVC/PET/Hart-PVC/Epoxidharz
Frequenz:	13,56 MHz
Chip:	Protokoll ISO 14443A NTAG® 213 (144 Byte) NTAG® sind eingetragene Marken von NXP B.V. und werden unter Lizenz verwendet.
Abmessungen:	Durchmesser 25/30/35/40/50 mm Rechteckig 25*25mm, 30*30mm, 35*35mm, 85,5*54mm Oder individuelle Form und Größe.
Drucken:	Vollfarbdruck als Design
Besonderheit:	Die Tags mit Anti-Metall-Schicht ermöglichen die Verwendung auf Metall und für Telefone.
Verfügbare Kunsthandwerke:	-Logodruck; -Drucken von Seriennummern, Barcodes, QR-Codes oder UID-Nummern; -Kodierung/Programmierbar
Optionale Technik:	-Spezielle Funktionsoption: Anti-Metall-Schicht für die Verwendung in Metallumgebungen; -Drucken individueller Logos/Kunstwerke/Lasergravur; -UID-Nummerndruck Jet-Punktdruck; -URL, Text, Nummer usw.; -Codierung/Sperre zum schreibgeschützten Lesen. -Tabelle in Excel
Proben:	Kostenlose Muster sind auf Anfrage erhältlich

1) Write the corresponding code into the RFID tag and fill in the information. Both parties do not need to download and install APP

2) Touch the middle of the back of the phone or the top of the phone to pop up the homepage, which is convenient for adding friends, adding followers, and sending messages.

Fast Delivery

Read And Write

Anti-Fouling And Moisture-Proof

Information Worry-Free

RFID

Customizable size

It can be customized according
to the format you need



uBump

uBump.