




Especificaciones de la tarjeta de visita de PVC RFID:

Material:	PVC/PET/PETG/ABS de alta calidad
Superficie de la tarjeta:	Acabado brillante/mate/esmerilado
Dimensión física:	85,5*54*0,76mm o OEM
Peso de la tarjeta:	5,5g/-0,5g
Temperatura de operacion:	-20°C~60°C
Frecuencia:	13,56 MHz/125 MHz/860-960 MHz
Colores disponibles:	Bajo demanda
Método de impresión disponible:	Offset/Serigrafía/Impresión digital/Impresión UV
Color de impresión:	Se puede imprimir de 1 a full color por ambas caras, y también colores pantone o colores serigrafía
Artesanía:	Panel de firma, panel de arañazos, UV Spot Código de barras: CODE128, CODE39, EAN8, EAN13, etc. Estampado en caliente color dorado/plateado Números o textos en impresión térmica/inkjet/relieve/grabado láser/UV





A. ① Gold Color ② Laser Gold Stamping
③ Gold hot Stamping



B. ① Silver Color ② Laser Silver Stamping
③ Silver hot Stamping



C. ① EAN 13 Barcode ② Code 128 ③ Code 39
④ QR Code ⑤ Card NO. & PIN Code
⑥ Laser Code ⑦ Flat Code



D. ① Gold Magnetic Stripe
② Black narrow Magnetic Stripe
③ Silver Magnetic Stripe



E. ① 4428 Chip ② Large Convex Code
③ Small Convex Code



F. ① 4442 Chip ② Gold Flat Code
③ Gold Silk Screening ④ Silver Silk Screening



G. ① Silver drawbench ② Frosted UV



H. ① Pearlescent Color ② Anti-fake label
③ RFID Chip



I. Embossed printing



J. Laser Material



K. ① Matt finish ② Gold drawbench
③ UV vanish



L. ① Frosted finish ② Metal Label

