Especificaciones de la tarjeta de visita de PVC RFID:

Material:	PVC/PET/PETG/ABS de alta calidad
Superficie de la tarjeta:	Acabado brillante/mate/esmerilado
Dimensión física:	85,5*54*0,76mm o OEM
Peso de la tarjeta:	5,5g/-0,5g
Temperatura de operacion:	-20℃~60℃
Frecuencia:	13,56 MHz/125 MHz/860-960 MHz
Colores disponibles:	Bajo demanda
Método de impresión disponible:	Offset/Serigrafía/Impresión digital/Impresión UV
Color de impresión:	Se puede imprimir de 1 a full color por ambas caras, y también colores pantone o colores serigrafía
Artesanía:	Panel de firma, panel de arañazos, UV Spot Código de barras: CODE128, CODE39, EAN8, EAN13, etc. Estampado en caliente color dorado/plateado Números o textos en impresión térmica/inkjet/relieve/grabado láser/UV


PVC
PVC
VIP
Copper Coil + COB
Printing Layer (Back)
Printing Layer (Front)

A、①Gold Color ②Laser Gold Stamping
③Gold hot Stamping

B、①Silver Color ②Laser Silver Stamping
③Silver hot Stamping

C、①EAN 13 Barcode ② Code 128 ③Code 39
④QR Code ⑤Card NO. &PIN Code
⑥Laser Code ⑦ Flat Code

D、①Gold Magnetic Stripe
②Black narrow Magnetic Stripe
③Silver Magnetic Stripe

E、① 4428 Chip ②Large Convex Code
③ Small Convex Code

F、①4442 Chip ②Gold Flat Code
③Gold Silk Screening ④Silver Silk Screening

G、①Silver drawbench ② Frosted UV

H、①Pearlescent Color ②Anti-fake label
③RFID Chip

I、Embossed printing



J、Laser Material

K、①Matt finish ②Gold drawbench
③UV vanish

L、①Frosted finish ②Metal Label