

Les bracelets RFID sont largement utilisés dans la gestion d'événements, ce qui nécessitera cette réponse rationalisée à leurs besoins d'inscription, de paiement et d'engagement. RFID en Silicone Le bracelet avec son matériau respectueux de l'environnement et son toucher doux est devenu populaire auprès des consommateurs. Le bracelet en silicone RFID convient à la plage, aux piscines, aux parcs aquatiques, aux spas, aux gymnases, aux clubs sportifs et à toute autre application de contrôle d'accès RFID où un bracelet RFID étanche est requis.



FRONT



BACK



Secure · Comfortable · Fashion



- Size: 10.236" * 1.062" (260mm * 27mm)
- Model: CJ2308A03
- Material: Friendly silicone
- Color: Custom, Pantone Color Optional



10 holes to fit all your wrist



Environmental friendly and smooth silicone
Resist acids, bases, solvents, chemicals, oils and water.



waterproof

anti-static

adjustable



Pantone Color Print
Laser with/without color



Union / Variable QR code



01 RFID ACCESS CONTROL

- Eliminate ticket fraud, fakes and pass-back
- Speed up entry and eradicate queues
- Seamless integration with any ticketing systems or event management & analytic software
- Control multiple zones with one system (GA, VIP, Camping, Production)
- Gather real-time patron data to manage customer flow and zone capacity

02 RFID SOCIAL MEDIA INTEGRATION

- Engage audiences and increase sponsorship revenue 15%-30%
- Enhanced opportunities for sponsor activations
- Ticket-holders become real-time brand advocates or event management & analytic software
- Reach new online audiences
- Promote before, during and post event



03 RFID CASHLESS PAYMENT

- Increase on-site event revenues by up to 35%
- Dramatically reduce queuing time
- Super fast food and beverage transactions (less than 1 second)
- Cost saving from handling and administering of cash
- Deep, smart customer data and analytics

Spécifications du produit:

Article	Bracelet RFID en silicone
Matériel	Silicone
Taille	Style de montre flexible : 260 mm (L) x 28 mm (l) x 3 mm (H), 10 trous et 2 boutons, la longueur peut être réglée arbitrairement. Boucles fermées classiques : diamètre 74mm , 65 mm, 60 mm, 50 mm, 45 mm
Fréquence	BF/125 kHz ; HF/13,56 MHz ; UHF/860 MHz
Protocole	OIN 14443A/15693 ; OIN 18000-6C
Ébrécher	TK4100, EM4200, EM4305, T5577 ; Ntag 213/215/216 ; MIFARE Classic® EV1 1K (S50), MIFARE Classic® EV1 4K (S70), MIFARE Plus® 1K/2K/4K, MIFARE DESfire EV1/EV2 2K, 4K, 8K, MIFARE Ultralight® EV1, MIFARE Ultralight® C ; NXP JE CODE SLI ; Extraterrestre H3/H4 ;
Distance de lecture	2,5 ~ 10 cm (en fonction de l'étiquette et de la taille de l'antenne du lecteur)
Température de fonctionnement	-40°C~ 65°C
Couleur	Rouge, jaune, bleu, vert, etc. (peut être personnalisé)
Artisanat disponible	Impression de logos ; Impression du numéro de série, du code à barres, du QR ou de l'UID ; Encodage/Programmable
Quantité minimale de commande	500 pièces
Échantillon	Échantillons gratuits peut vous être envoyé pour test
Détails de l' emballage	Emballage neutre, 100 pièces/sac OPP, 10 sacs/CNT, c'est-à-dire 1000 pièces/CNT
Délai de mise en œuvre	10 à 12 jours ouvrables, en fonction de la quantité

Notre Entreprise Et Usine :

Company Introduction

Office

3,000 m² office, 250+ professional sales service you!



Shenzhen Great Creativity Smart Card Co.,Ltd.

Factory

12,000m² clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.

