



**Advanced
Production Equipment**

Informations d'usine :

Taille d'usine :	3 000 à 5 000 mètres carrés
Pays/région de l'usine :	Étage 2-4, bâtiment E, zone industrielle de Yongda, route No.14 Rongfu, Guanlan, nouveau district de Longhua, Shenzhen, 518110
Nombre de lignes de production :	6
Fabrication sous contrat:	Service OEM offert, service de conception offert, étiquette d'acheteur offerte
Valeur de production annuelle :	50 millions de dollars américains - 100 millions de dollars américains

Certificates & Rewards



Description du support de bague NFC :

Nom du produit :	Support d'anneau de téléphone NFC pour partage de médias sociaux
Les fonctions:	<ul style="list-style-type: none"> * Visitez l'URL d'un site Web * Partager un fichier texte * Associer avec un appareil Bluetooth * Lancer une application spécifique * Connectez-vous à un réseau wifi avec des informations d'identification * Déclenchez une domotique intelligente * Activer/Désactiver les paramètres du téléphone (alarme, sonnerie, etc.) * Envoyer un message SMS
Taille:	Dia25mm/30mm ou personnalisé.
Impression:	Impression personnalisée du LOGO 4C ou numéro de série, code QR
Anti-métal :	Peut être anti-métal ou normal
Contrôle CQ :	Inspecter à 100 % avant l'emballage, inspecter sur place avant l'expédition

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				

Product Display

Epoxy



Regular



