




## Specifiche del biglietto da visita in PVC RFID:

Materiale:	PVC/PET/PETG/ABS di alta qualità
Superficie della carta:	Finitura lucida/opaca/smerigliata
Dimensione fisica:	85,5*54*0,76 mm o OEM
Peso della carta:	5,5 g /- 0,5 g
Temperatura di funzionamento:	-20°C~60°C
Frequenza:	13.56Mhz/125Khz/860-960Mhz
Colori disponibili:	Su richiesta
Metodo di stampa disponibile:	Offset/SilkScreen/Stampa digitale/Stampa UV
Colore di stampa:	Può essere stampato da 1 a pieno colore su entrambi i lati, e anche colori pantone o colori serigrafici
Artigianato:	Pannello della firma, pannello antigraffio, macchia UV Codice a barre: CODICE128, CODICE39, EAN8, EAN13 ecc. Colore lamina oro/argento per stampa a caldo Numeri o testi in stampa termica/a getto d'inchiostro/in rilievo/incisa al laser/UV





A. ① Gold Color ② Laser Gold Stamping  
③ Gold hot Stamping



B. ① Silver Color ② Laser Silver Stamping  
③ Silver hot Stamping



C. ① EAN 13 Barcode ② Code 128 ③ Code 39  
④ QR Code ⑤ Card NO. & PIN Code  
⑥ Laser Code ⑦ Flat Code



D. ① Gold Magnetic Stripe  
② Black narrow Magnetic Stripe  
③ Silver Magnetic Stripe



E. ① 4428 Chip ② Large Convex Code  
③ Small Convex Code



F. ① 4442 Chip ② Gold Flat Code  
③ Gold Silk Screening ④ Silver Silk Screening



G. ① Silver drawbench ② Frosted UV



H. ① Pearlescent Color ② Anti-fake label  
③ RFID Chip



I. Embossed printing



J. Laser Material



K. ① Matt finish ② Gold drawbench  
③ UV vanish



L. ① Frosted finish ② Metal Label

