## Specifiche dell'anello in ceramica NFC:

| | |
|---|---|
| Nome del prodotto: | Anello in ceramica NFC |
| Patata fritta: | NFC o RFID |
| Protocollo: | ISO14443A |
| Distanza di lettura: | 1-5 cm |
| Frequenza: | 13,56 MHz/125 Khz |
| Stampa: | Stampa incisa o serigrafica |
| Applicazione: | Sistema di controllo accessi, pagamento ecc |
| Colore: | Bianco, nero, blu, rosso ecc |
| Caratteristica: | Alte prestazioni e impermeabile |
| Misurare: | Misura standard americana |
| Campione: | Campioni gratuiti sono disponibili su richiesta |

# Chuangxinjia NFC Ring Models

CXJ-T-J1 (Single NFC Chip)
Semi ceramic +Epoxy Resin

CXJ-T-J2 (Dual NFC Chips)
Semi ceramic +Epoxy Resin

CXJ-T-J3
Semi ceramic +Carbon Fiber

CXJ-T-J4
Semi ceramic + Ink Printing

CXJ-T-J5
Pure ceramic

CXJ-T-J6
Wood Material

CXJ-T-T7
Custom Material

OEM/ODM available
Support custom material and size .

| Perimeter | 5.3cm | 5.6cm | 5.9cm | 6.2cm | 6.5cm | 6.8cm | 7.1cm |
|---|---|---|---|---|---|---|---|
| Diameter | 16.5mm | 17.3mm | 18.2mm | 18.9mm | 19.8mm | 20.7mm | 21.3mm |
| Size (US) | 6 | 7 | 8 | 9 | 10 | 11 | 12 |

## Product Display

Great Creativity

Great Creativity

Great Creativity

Great Creativity