Specifiche del braccialetto a circuito chiuso in silicone RFID:

Nome del prodotto:	Bracciale in silicone RFID
Misurare:	perimetro 157mm perimetro 184mm perimetro 195mm perimetro 228mm
Patata fritta:	LF 125 kHz, HF 13,56 MHz, UHF 860-960 MHz
Protocollo:	ISO14443A, ISO15693, ISO7814, ISO7815, ISO18000-6C ecc
Colore del cinturino:	colore personalizzato per PMS
Stampa del logo:	serigrafia, incisione laser, rilievo, trasferimento di calore ecc.
Mestiere:	Stampa di numeri (numero di serie e UID chip ecc.), QR, codici a barre ecc. Saranno disponibili anche programmi/codifica/blocco/crittografia con chip (URL, TESTO, numero e Vcard)
Caratteristiche:	Impermeabile, resistenza al calore -30--90 ℃
Applicazione:	Biglietteria, assistenza sanitaria, viaggi, controllo accessi e sicurezza, rilevazione presenze, parcheggio e pagamento, gestione iscrizioni a club/SPA, premi e promozioni, ecc.

Applicazione del braccialetto a circuito chiuso in silicone RFID:

Opzioni artigianali per braccialetti ad anello chiuso in silicone RFID:

1 C silk screen printing | 3 C silk screen printing | laser engraved no color | laser engraved with color | embossed

heat transfer printing | divided color | mixed color | 3D pattern | combination multi color

laser number no color | laser number with color | QR code | QR code | Bacode | laser LOGO on lock | glow in dark

Fitness
CXJ
Gym

Deboss With filling silver color

Deboss With filling gold color

Sport Lounge
Sport Lounge