

HF RFID MIFARE

材料	PVC
颜色	透明/半透明/黑色
尺寸	86 * 54 * 0.84mm
重量	0.15g
频率	HF / 13.56MHz
协议	ISO 14443A / 15693
芯片	HF 13.56MHz 1. Type1 Topaz512/454 2. TYPE 2 NXP Ntag213/144 NXP Ntag215/504 NXP Ntag216/888 MIFARE Ultralight® EV1/48 MIFARE Ultralight® C/148 MIFARE MIFARE NXP BV 3.4 MIFARE® DESFire® EV1 2K MIFARE® DESFire® EV1 4K MIFARE® DESFire® EV1 8K MIFARE DESFire NXP BV 4. MIFARE® 1K MIFARE MIFARE Classic NXP B.V. 5. MIFAREPlus® MIFARE MIFARE Plus NXP BV 6. FM11RM08/TI2048 NXP ICODE SLI NXP ICODE Slx 7. SRT512
RFID 应用	1. 门禁 2. 考勤 3. 门禁 4. 门禁 5. 门禁 6. 门禁 7. 门禁
读写距离	100mm / OPP 5000mm
使用寿命	8-9年
包装	1000个/盒 DHL 运输
贸易条款	EXW FOB CIF CNF
认证	TT
标准	ISO9001-2008 SGS ROHS EN71
MOQ	500
交货期	10-15天

RFID






RFID卡係一種非接觸式之無線電頻識別系統，其原理係利用電磁感應之原理，將RFID卡靠近讀卡機時，讀卡機會發出電磁波，RFID卡會接收此電磁波並將其內部儲存之資料傳送回讀卡機，讀卡機再將此資料傳送給電腦系統處理。RFID卡之優點係耐用、不易損壞、可重複使用、且可儲存大量資料，適用於各種場景，如圖書館、停車場、工廠、醫院等。

RFID卡係一種非接觸式之無線電頻識別系統，其原理係利用電磁感應之原理，將RFID卡靠近讀卡機時，讀卡機會發出電磁波，RFID卡會接收此電磁波並將其內部儲存之資料傳送回讀卡機，讀卡機再將此資料傳送給電腦系統處理。RFID卡之優點係耐用、不易損壞、可重複使用、且可儲存大量資料，適用於各種場景，如圖書館、停車場、工廠、醫院等。

RFID卡係一種

Production Process



1.Design confirm



2.Film fabrication



3.Printing



4.Chip bonding



8.Testing&QC



7.Punching & Diecutting



6.Compounding



9.Personalization crafts



10.Final QC



11.Packing



12.Delivery

RFID□□□□□□□□

Packing



OPP Bag for Individual Card



250/200 pcs Cards with Clear Paper



Inner Box Package



Outside Carton Package

Office



Factory



RFID PVC RFID RFID RFID NFC PVC PVC
OPPO