

mifare ultralight® C NFC [illegible]

NFC NFC


☐ NFC ☐ NFC

11

RFID:	mifare 1 ultralight® C NFC
Material:	PVC/ABS/PC
Dimensions:	25 mm x 35 * 35 mm or 50 * 50 mm or 27 * 42 mm or 85 * 54 mm

RFID: 1D Barcode	LF 125 KHz GK4001 EM4200 EM4100/EM4102 EM4550 EM4069 ATA5577 ATA5567 T5557 HITAG 1 HITAG 2 HITAG S256 HITAG S2048 HF 13.56 MHz 1) Type1 Broadcom Topaz512(454 bytes); 2) 2 NXP Ntag213(144 bytes) NXP Ntag215(504 bytes) NXP Ntag216(888 bytes) MIFARE Ultralight® EV1(48 bytes) MIFARE Ultralight® C(148 bytes) MIFARE MIFARE Ultralight NXP 3) 4 MIFARE® DESFire EV1 2 K MIFARE® DESFire EV1 4 K MIFARE® DESFire EV1 8 K MIFARE DESFire NXP 4) MIFARE® (1 K) MIFARE MIFARE Classic NXP 5) MIFAREPlus® MIFARE MIFARE NXP 6) FM11RM08 TI2048 NXP ICODE SLI NXP ICODE Slix 7) SRT512 UHF 860 ~ 960 MHz ISO/IEC 18000-6 C EPC Class1 Gen2: ALI9662 AD824 AD803 AD830 U G2XL U G2XM U GEN2 3 ISO/IEC 18000-6B: U HSL EM4324
Barcode: 1D Barcode	Barcode
Barcode: 2D Barcode	100 10 20
Barcode: 3D Barcode	5-7
Barcode: 4D Barcode	express(DHL, FEDEX)
Barcode: 5D Barcode	EXW () FOB CIF CNF
Barcode: 6D Barcode	TT L/C
Barcode: 7D Barcode	500
Barcode: 8D Barcode	





□□□□□□□□□□□□□□□□□□