

RFID 腕帶 規格說明

RFID 腕帶 規格說明

RFID 腕帶 規格說明

RFID 腕帶 規格說明



RFID 腕帶 規格說明

RFID 腕帶	RFID 腕帶 規格說明
規格	規格說明
尺寸	φ45 50 55 60 65 74 77mm
顏色	規格說明
RFID 規格:	規格說明

<p>□□□□□□□□:</p>	<p>□□ 125KHz GK4001□EM4200□EM4100/EM4102□EM4550□EM4069□ATA5577□ATA5567□T5557□HITAG 1□HITAG 2□HITAG S256□HITAG S2048□□□ HF 13.56MHz 1).Type1 Broadcom Topaz512 (454 □□□); 2). □□□ 2 NXP Ntag213(144□□□) NXP Ntag215(504□□□) NXP Ntag216(888□□□) MIFARE Ultralight®EV1(48□□□) MIFARE Ultralight®C(148□□□) MIFARE □□□ MIFARE Ultralight □ NXP B.V. □□□□□□□□□□□□□□□□□□□□□□□□ 3) □□□ 4 MIFARE® DESFire® EV1 2K MIFARE® DESFire® EV1 4K MIFARE® DESFire® EV1 8K MIFARE DESFire □ NXP B.V. □□□□□□□□□□□□□□□□□□□□□□□□ 4)MIFARE®(1K□□□) MIFARE □□□ MIFARE Classic □□NXP B.V. □□□□□□ 5)MIFAREPlus® MIFARE □□□ MIFARE Plus □ NXP B.V. □□□□□□□□□□□□□□□□□□□□□□□□ 6) FUDAN FM11RM08□TI2048□NXP ICODE SLI□NXP ICODE Slix □□□□□□ 7) SRT512 UHF 860-960MHz ISO/IEC 18000-6C EPC □□□ 1 Gen2:ALI9662□AD824□AD803□AD830□U □□□ G2XL□ U□□□G2XM□U□□□GEN2□□□□□□3 ISO/IEC 18000-6B:U □□□ HSL□EM4324 □□□</p>
<p>□□□□□□</p>	<p>100 □/opp □□ 1000 □/□□□□</p>
<p>□□□□□□□□</p>	<p>□□□□□ 8-15 □</p>
<p>□□□□:</p>	<p>□□□□□□□DHL□FEDERAL EXPRESS□□□□□□□□□□□□□□□□</p>
<p>□□□□□□</p>	<p>EXW□□□□□□□FOB□□□□□□□CIF□CNF□□□□□□□</p>
<p>□□□□:</p>	<p>TT□L/C□Western Union□MoneyGram □□□□□□</p>
<p>□□□□□□:</p>	<p>500□</p>
<p>□□□□□□□□:</p>	<p>□□□□□□□□□□□□□□□□□□□□□□□□</p>

CRAFTWORK



Debossed




Silk-screen printing



Embossed



Silk-screen printing



Embossed



QR code



Bar code



Laser UID number



Glow in dark

RFID





Great Creativity



Swimming pool



Gym



Payment



Access control

RFID
