

0000QR00000000NFC 000000000

3: [][: [][][] IP68

 $4 \verb| | \verb| | \verb| | \verb| | -40 \verb| | \verb| | 100 °C$

5____-40_120°C

6: || ROHS || SGS || ISO 9001



	RFID000000000000000000000000000000000000
RFID[[]:	LF[]HF[]UHF

	0000000: 00000000PMS 0000
	\$0000000000000000000000000000000000000
	0000000 / 0000 / 000 / 000 (URLOTEXTOOOOVcard 00)
MOQ:	100
	ISO 14443A
	DDDDDDMINI TAG
	0000 2000000 0/00 rfid 00000 000000000000000000000000000000
0000:	0000000000 GYM 00000 000000 0000000: 100 0/opp 001000 0/000 00000 qr 00000000000 nfc 000000000 rfid 000000



Laser UID number

Glow in dark

Bar code



......

FRONT BACK



Secure Comfortable Fashion -










- Size: 10.236"*1.062" (260mm*27mm)
- Model: CJ2308A03Material: Friendly silicone
- Color: Custom, Pantone Color Optional







Environmental friendly and smooth silicone Resist acids, bases, solvents, chemicals, oils and water.





waterproof

anti-static

adjustable

Shenzhen Chuangxinjia Group $\square \square RFID \square RFID PVC \square \square$
RFID 000000000000000000000000000000000000
info@nfctagfactory.com