

RFID IC 14443

RFID IC 14443 is a standard for proximity cards and smart tags. It is widely used in access control, library management, and other applications. The IC is designed to be small and thin, making it easy to integrate into various devices.

RFID IC 14443 is a standard for proximity cards and smart tags. It is widely used in access control, library management, and other applications. The IC is designed to be small and thin, making it easy to integrate into various devices.


RFID IC 14443 is a standard for proximity cards and smart tags. It is widely used in access control, library management, and other applications. The IC is designed to be small and thin, making it easy to integrate into various devices.

RFID IC 14443



材	PVC
厚	0.8mm ± 0.05mm
規格	ISO 14443A / 15693
電	HF / 13.56MHz
電	1. Type1 Topaz512 454bits
電	2. TYPE 2 NXP Ntag213 144 bits NXP Ntag215 504 bits NXP Ntag216 888 bits MIFARE Ultralight® EV1 48 bits MIFARE Ultralight® C 148 bits MIFARE MIFARE XNP BV bits 3 4 MIFARE® DESFire® EV1 2K MIFARE® DESFire® EV1 4K MIFARE® DESFire® EV1 8K MIFARE DESFire NXP BV bits 4 MIFARE® 1K bits MIFARE MIFARE Classic NXP B.V. bits 5 MIFAREPlus® MIFARE MIFARE Plus NXP BV bits 6 FM11RM08 TI2048 NXP ICODE SLI NXP ICODE Slix bits 7 SRT512
RFID	1. 13.56MHz 2. ISO 14443A / 15693 3. 13.56MHz 4. 13.56MHz 5. 13.56MHz 6. 13.56MHz 7. 13.56MHz
電	100% / OPP 5000 / 1000
電	8-9
電	DHL
電	EXW FOB CIF CNF
電	TT
電	ISO9001-2008 SGS ROHS EN71
MOQ	500
電	

Production Process



1.Design confirm



2.Film fabrication



3.Printing



4.Chip bonding



5.Print sheets matching



6.Compounding



7.Punching & Diecutting



9.Personalization crafts



10.Final QC



11.Packing



12.Delivery

RFID□□□□□□□□

Packing



OPP Bag for Individual Card



250/200 pcs Cards with Clear Paper



Inner Box Package



Outside Carton Package

□□□□□□□□□□

Our Famous Partners



RFID PVC RFID RFID NFC PVC PVC
 OPPO
 To be continued...