

RFID 13.56MHz NFC 13.56MHz

1. 13.56MHz NFC 13.56MHz

RFID: NXP Ntag213, Mifare S50, NXP Ultralight, NXP 1K, Broadcom 512  
RFID: NFC 2, ISO 14443a  
Frequency: 13.56 MHz/HF  
R/w: 100000  
EPPROM: 64, 192, 144, 512, 1k  
Range: 3-10 cm

2. Material

Material: PVC, PET, Paper  
Size: 25 mm \* 35 \* 35, 43 \* 26 mm, 50 \* 50 mm, 86 \* 54 mm  
Thickness: 0.2-0.5 mm, 0.8, 1 mm

3. Environment

Temperature: 5-10 °C  
Storage Temperature: -25 °C ~ 50 °C  
Humidity: 20 ~ 90% RH  
Working Temperature: -40 °C ~ 65 °C

4. Protection

UV Protection

5. Packaging

Quantity: 10000  
Lead Time: 5-7 days, 10K  
Shipping: express (DHL, FEDEX)  
Incoterms: CNF, CIF, FOB, EXW  
Payment: TT, paypal  
Quantity: 6,000-10,000 pcs  
Certification: ISO 9001-2008, SGS, ROHS, EN71

RFID 13.56MHz NFC 13.56MHz









