[illegible] [illegible]**NFC**[illegible]

[illegible]NFC[illegible]1.Specification
NFC[illegible]NXP Ntag213[illegible]Mifare[illegible]S50[illegible]NXP[illegible]NXP[illegible]C[illegible]512[illegible]
[illegible]NFC[illegible]2[illegible]ISO 14443A[illegible]
[illegible]/[illegible]13.56MHz[illegible]/ HF[illegible]
R / W[illegible]100000[illegible]
EPPROM[illegible]64[illegible]192[illegible]144[illegible]512[illegible]1K[illegible]EPPROM[illegible]
[illegible]3[illegible]10[illegible]
[illegible]10[illegible]
[illegible]
[illegible]

2.Profile
[illegible]
[illegible]PVC[illegible]PET[illegible]
[illegible]3M[illegible]
[illegible]
[illegible]25[illegible]* 35[illegible]35 * 26[illegible]43 * 50[illegible]50[illegible]86 * 54[illegible]
[illegible]0.2[illegible]0.5[illegible]0.8[illegible]1[illegible]costomized[illegible]

3.Working[illegible]
[illegible]5[illegible]10[illegible]
[illegible]-25℃-50℃
[illegible]20[illegible]-90[illegible]RH
[illegible]-40℃-65℃

4.Crafts
4[illegible]UV[illegible]

NFC[illegible]/ NFC[illegible]/ NFC[illegible]5.Application
NFC[illegible]NFC[illegible]NFC[illegible]

6.Packaging[illegible]
NFC[illegible]/ NFC[illegible]/ NFC[illegible]
[illegible]10K[illegible]5-7[illegible]
[illegible]DHL[illegible]
[illegible]EXW[illegible]FOB[illegible]CIF[illegible]CNF[illegible]
[illegible]TT[illegible]
[illegible]6,000,000[illegible]/[illegible]
[illegible]ISO9001-2008[illegible]SGS[illegible]ROHS[illegible]EN71[illegible]

[illegible]

NFC[illegible]

[illegible]0.5[illegible]1[illegible]·[illegible]

NFC[illegible]NFC[illegible]

□□□□□ □□□□□□□□□□□□NFC□□□□□

NFC□□/ NFC□□□□□/ NFC□□□□□□

Product Procedure

NFC□□/ NFC□□□□□/ NFC□□□□□□

Extensive Experience with NFC

□□□□□□□□□□

NFC□□□□□□□□□□

NFC□□□NFC□□NFC□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□NFC□□□NFC□□□

□□□□□□□□□□□□□

NFC□□□

□NFC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ USB□□□ID□□□□□□ - □□□□NFC□□□□□□□□□□□□□□□□□□□NFC□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Available NFC chips					
	NXP Mifare Ultralight	NXP Mifare Ultralight C	NTAG213	Topaz512	Mifare 1k
NFC Type	Type 2	Type 2	Type 2	Type 2	Type 2
User memory	64 byte	192 byte	144 byte	512 byte	1k byte
URL Length	41 Characters	132 Characters	132 Characters	132 Characters	256 Characters
Text Length	39 Characters	130 Characters	130 Characters	130 Characters	709 Characters
Data Example	Short URL Phone Number Short email address Short Text	Short URL Phone Number Short email address Short Text	Long URL Phone Number Email address Text Small Vcard	Long URL Phone Number Email address Text Small Vcard	Full Vcard
Lockable	Yes	Yes	Yes	Yes	Technically No
Formatting	Blank or NDEF formatted	Blank or NDEF formatted	NDEF Formatted	Blank or NDEF formatted	Blank or NDEF formatted

□□□□

□□□□□□□□□□□□□□□□□□ 15□□□□□□□□□□□□□□□□□□□□□□RFID□□/ NFC□□OPPO□□□□□□□□□□□□□□□□□□□□□RFID□□/ NFC□□□RFID / NFC□□□□RFID□ID□□□□RFID□□□□□□□NFC□□□□□□NFC□□□□□□□□□□