

<u> </u>	00000000 RFID 000000	
□□:		
000:	φ 55_62_65_74 mm	

	LF 125 KHz
	GK4001∏EM4200∏EM4100/EM4102∏EM4550 ∏∏
	2  HITAG S256  HITAG S2048
	HF 13.56 MHz
	1) Type1
	Broadcom Topaz512(454 bytes);
	2) 2
	NXP Ntag213(144 bytes)
	NXP Ntag215(504 bytes)
	NXP Ntag216(888 bytes) MIFARE [] Ultralight® EV1(48 bytes)
	MIFARE [] Ultralight® C(148 bytes)
	MIFARE   MIFARE Ultralight NXP
	3)       4
	MIFARE® ☐ DESFire EV1 2 K
	MIFARE® ☐ DESFire EV1 4 K
	MIFARE® DESFire EV1 8 K
	MIFARE DESFire 00000 NXP 00000000000000000000000000000
	4) MIFARE® (1 K □□□)
	MIFARE DOD MIFARE Classic
	5) MIFAREPlus®
	MIFARE DOD MIFARE DOD NXP DODODODODODODODO
	6) DD FM11RM08DTI2048DNXP ICODE SLIDNXP ICODE Slix
	7) SRT512
	UHF 860 ~ 960 MHz
	ISO/IEC 18000-6 C EPC Class1
	Gen2:ALI9662[]AD824[]AD803[]AD830[]U [][][] G2XL
	U [][] G2XM[]U [][] GEN2 [][][] 3
	ISO/IEC 18000-6B:U           HSL     EM4324
	100 [/opp [[]1000 [][][][][][]
	0000 8-15 0
	express(DHL,FEDEX)
	EXW (DDD)D(DDD) FOBDCIF CNF DDDDD
	TT_L/C
MOQ:	500 🛮





**RFID** 0000000000

### Silicone RFID Wristband Production Process



### 

# **Company Introduction**

## Office

3,000 m<sup>2</sup> office, 250+ professional sales service you!















Shenzhen Great Creativity Smart Card Co., Ltd.

## Factory

12,000m2 clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.











