

pvc **rfid** 3 m

1

XXXXXXXXXX

NXP Ntag 213/216;XXXXXXXX C;NXP mifare 1 k/4 k

XXXXXX:

35 * 35 XXXXXXXX50 * 50 XXXXXXXX85.5 * 54 mm□Dia.30mm□Dia.25mm

XXXXXXXXXX:

CXJ

2

1 XXX: NXP Mifare 1 k 4 k

Ntag213 (168 XXXXXXXXXXXXXXXX XXX 144 XXX)□

Ntag216 (924 XXXXXXXXXXXXXXXX XXX 888 XXX)□

2 XXX: 13.56 Mhz

3 XXX: ISO14443A

XXXX/XXXXXXXX 4: 10000 □

5 XXX: 5 □

6 XXX: 22 mm□25 mm□30 mm□22 * 22 mm□45 * 25 mm XXXXXXXXXXX

7 XXX: 0.3 □ 0.5 mm

8 XXX: XXXXXXXXXXX/XXXX

9 XXX: Aluminium □

10 XXXXXXX 3 □ (XXXX XXXXXXXXXXX) XXX 10 cm

11 XXX: -40° C ~ 65 ° C

12 XXX: -25 ° C ~ 50 ° C

13 XXXXXXX: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

14 XXXXXXX:

XXXXXXXXXX/XXXXXXXX

XXXXXXXXXXXX

XXXX XXXXXXXXXXXXXXX

XXXX XXX

XXXX XXX

Vcard

XXXXXXXX

3



4 □□□□

Packing Details

in piece with oppbag




in piece with oppbag



in roll



in roll



in piece with opp bag
(inside inner box)



outside carton

