


□□□ □□ □□□□□ □□ □□ □□ □□

□□

- 1.Common □□ : 80 \* 50 \* 0.3 mm □□ □□ □□ □□
- 2.Material : □□ □□ □□□□□ □□
- 3.Certificate : ISO9001-2008
- 4.Artwork : □□□ □□□, □□ □ (die-cut), □□, □□□, □□ □□□



□□ □ □□□ □□ □□□□□ □□ □□ □□ □□

□□	□□□□ □□□□□
□□□□ □□ □□	85 * 54,80 * 50,85 * 50mm, □□ □□□ □□□
□□	0.3-2mm
MOQ	100 □
□□ □□□ □□	□□ □□ □□, □□, □□□ □, □□□, □□ □□□□, □□ □□, □□, □□□□ □□□□□□, □□ □□□ □□ □□
□□	□□ □□□ □□

□□□	□□□ □□ 100 □
□□ □□	5~7□ □□□□□ □
<b>Shippment</b> □	□□, □□, □□□
□□□	<b>ISO1999-2001, SGS</b>
□□ □□	<b>40000000</b> □ / □
□□ □□	<b>FOB, CIF, EX-W</b> (□□)
□□ □□	<b>T / T, □□ □□, L / C</b> , □□ □□, □□□□

□□□□ □□ □□□□□□ □□ □□ □□ □□ □□



□□□ □□ □□□□□ □□ □□ □□ □□ □□ & NBSP; □□□ □□□□ □□ □□, □□ □□□□. □□ □□ □□ □□□□ □□ □□ □□□□□.

□□□ □□ □□ □□□□□ □□□ □ □□□□□. □□□□ □□ 85 \* 54mm, 80 \* 50mm □□ □□□ □□ □□□□□.

□ □□□ & NBSP; □ □□ □□□□□ □□ □□ □□ □□  
100 □ / □□, 20 □□ / □□

OU□ □□□ □□□ □□□□□R □□□ □□ □□□□□ □□ □□ □□ □□!

□□□ □□□ □□□□ □□□ □□ □□□ □□□□!