

RFID 1D Barcode NFC 1D Barcode

Material: PVC; Thickness: 0.2mm.

Size: 36 * 25 mm; Roll length: 350 * 15 m.

Frequencies: LF/125 KHz; HF/13.56 MHz.

Standards: ISO 14443A.

Options:

-LF(125KHz): TK4100, EM4200, ATA5577, etc.

-HF(13.56MHz): NXP Ntag213, Mifare S50, NXP Mifare Classic, NXP Mifare Ultralight C, NXP EV1 desfire, etc.

Options: 1D Barcode, 2D Barcode, QR Code, etc.

Options: URL, Email, Phone Number, V-Card, etc.

RFID Options: LF, HF, UHF, etc.

Options: 100 pc/opp, 10 bags/CNT, I.E 1000pcs/CNT.

Options: 9 * 12 mm.

Options: express (DHL, FEDEX), etc.

Options: CNF, CIF, FOB, EXW, etc.

Options: TT, I/C, MoneyGram, etc.

Options: ISO9001-2008, SGS, ROHS, EN71.

Options: etc.

RFID MOQ: 500 pc.

RFID 1D Barcode NFC 1D Barcode





RFID 00 00 0000 00 00 000000

Popular applications of Fabric RFID Wristbands



RFID 00 00 0000 00 00

Production process



1.Design confirm



2.Chip bonding



3. Printing



4.Matching &Compounding



8.Strip printing



7. Fabric strip producing



6. Testing & QC



5.Diecutting



9. Stringing



10.Final QC



11.Packing



12.Delivery

□□ □□ □□

