

RFID 产品规格:	LF 125 KHz GK4001, EM4200, EM4100/EM4102, EM4550, EM4069, ATA5577, ATA5567, T5557, HITAG 1, HITAG 2, HITAG S256, HITAG S2048 HF 13.56 m h z 1) 1K. 1K 2) 2K. 2K NXP Ntag213(144 bytes) NXP Ntag215(504 bytes) NXP Ntag216(888 bytes) MIFARE Ultralight® EV1(48 bytes) MIFARE Ultralight® C(148 bytes) MIFARE MIFARE Ultralight NXP 1K 2K 4K 8K 16K 3) 4K MIFARE® DESFire EV1 2 K MIFARE® DESFire EV1 4 K MIFARE® DESFire EV1 8 K MIFARE DESFire NXP 1K 2K 4K 8K 16K 32K 4) MIFARE® (1 K 1K) MIFARE MIFARE NXP 1K 2K 4K 8K 16K 32K 5) MIFAREPlus® MIFARE MIFARE NXP 1K 2K 4K 8K 16K 32K 64K 6) FM11RM08, TI2048, NXP ICODE SLI, NXP ICODE Slix 7) SRT512 UHF 860-960 MHz ISO/IEC 18000-6c EPC Class1 Gen2:ALI9662, AD824, AD803, AD830, U G2XL U G2XM, U GEN2 3 ISO/IEC 18000-6B:U HSL, EM4324
	尺寸: 25 mm, 35 * 35 mm, 50 * 50 mm, 27 * 42 mm, 85 * 54 mm
	重量: 0.5g, 1g, 2g, 3g, 4g, 5g, 6g, 7g, 8g, 9g, 10g, 11g, 12g, 13g, 14g, 15g, 16g, 17g, 18g, 19g, 20g, 21g, 22g, 23g, 24g, 25g, 26g, 27g, 28g, 29g, 30g, 31g, 32g, 33g, 34g, 35g, 36g, 37g, 38g, 39g, 40g, 41g, 42g, 43g, 44g, 45g, 46g, 47g, 48g, 49g, 50g, 51g, 52g, 53g, 54g, 55g, 56g, 57g, 58g, 59g, 60g, 61g, 62g, 63g, 64g, 65g, 66g, 67g, 68g, 69g, 70g, 71g, 72g, 73g, 74g, 75g, 76g, 77g, 78g, 79g, 80g, 81g, 82g, 83g, 84g, 85g, 86g, 87g, 88g, 89g, 90g, 91g, 92g, 93g, 94g, 95g, 96g, 97g, 98g, 99g, 100g
	寿命: 100 年/100, 10 年 100 年, 10 年 100/20
	工作温度: 0-70
	运输方式: express(DHL,FEDEX), 海运, 空运
	支付方式: EXW (工厂), FOB (港口), CIF, CNF, 电汇
	付款方式: TT, L/C, 信用证, MoneyGram 电汇
	起订量: 500
	交货期: 1-2 周





QR 1039 1039 1039 1039.