

□□ □□:

□□ □□:	3,000-5,000 □□ □□
□□ □□/□□:	518110 □□ □□ □□ □□ 14□ □□ □□ 14□ □□ □□ □□ E □□ 2-4□
□□ □□ □:	6
□□□□ □□:	OEM □□□ □□, □□□ □□□ □□, □□□ □□ □□
□□ □□ □□:	□□ 500 □□ - □□ 10 □□



PLA RFID □□□ □□□ □□ □□:

□□:	□□□□ □□□□ □□
□□:	85.5*54*0.9mm, □□□ □□
□□:	13.56Mhz, 125Khz/13.56Mhz/860-960Mhz
□□:	□□ □□ □□□ □□
□□:	ISO7815/ISO14443A/ISO15693/ISO18000-6C
□□:	CMYK □□□ □□, □□□ □□, □□ □□
□□:	□□ □□(□□□□ □ □ UID □), QR, □□□ □□ □ □□□□/□□□/□□□□□ □□□ □ □□□□(URL, TEXT, □□ □ Vcard).
□□□□□□:	□□, □□ □□, □□, □□ □□ □ □□, □□□□, □□ □ □□, □□/SPA □□□ □□, □□ □ □□□□ □

MOQ:	500
尺寸:	85mm x 55mm x 0.3mm.





Polylactic Acid Card



step1



step2



step3



step4



step5



step6

