

RFID

RFID Specification 1.Specification

Chip : NXP Ntag213, MIFARE S50, NXP MIFARE, NXP MIFARE C, MIFARE 512

Standard : ISO 14443A

Frequency : 13.56 MHz / HF.

Reading distance : 3~10cm

2.Profile

Material : PVC / PET / Paper

Color : White, Black, Custom

Size : 85.5 * 54 * 0.84mm

3.Working Environment

5~10cm

Temperature : -25 °C -50 °C

Humidity : 20 % -90 % RH

Shock : -40 °C -65 °C

4.Craft

-preprinting : CMYK & PMS; Inkjet

-signature

-magnetic : 3000OE, 2750OE, 4000OE

-barcode : CODE39, Code128, EAN8, EAN13, ..

-numbering : 1D, 2D, 3D

-encoding

5. Application

Access control, ID card, Library, Parking, Access control, Access control, Access control

6.Package

Quantity : 10boxes / 14kg / 200PCS / 22.5 * 9.3 * 6cm

Lead time : 10K 5-7 days

Shipping : DHL, FedEx, UPS, Air

Trade terms : EXW, FOB, CIF, CNF

Payment : TT, L/C, T/T

Quantity : 6,000,000pcs / Year

Standard : ISO9001-2008, SGS, ROHS, EN71.

RFID



RFID 产品 列表

Related Products

 <p>1.NFC Stickers</p>	 <p>2.NFC Epoxy Tags</p>	 <p>3.Silicone Wristbands (Adjustable Type)</p>	 <p>4.Silicone Wristbands (Full Sealed Type)</p>
 <p>5.Woven NFC Wristbands</p>	 <p>6.NFC Keyfobs</p>	 <p>7. NFC PVC Tags</p>	 <p>8. Anti-metal Stickers</p>

RFID 产品 列表 FAQ :

Q1 : 产品 列表 列表 列表 列表?

A1 : 列表 (列表) Chuangxinjia 列表 列表 (列表) 15 列表 列表 列表 列表 NFC 列表, 列表 列表 列表,列表 列表 列表 列表 列表 列表

Office

3,000 m² office, 180+ sales trustable team supporting you!



Factory

7,000 m² clean work shop, more than 500 staffs, strict QC system, full set of advanced machines for all kinds of crafts production, ensuring each order will be taken cared fast and well.



我们提供全面、专业的服务，确保您的订单得到快速、优质的处理！