

RFID 1

： pvc; 。

： 36 * 25 mm; 350 * 15mm.

： LH / 125KHz; HF / 13.56MHz.

： ISO 14443A / 15693

：

-LF (125KHz) : TK4100, EM4200, ATA5577

-HF (13.56MHz) : NXP Ntag213, Mifare S50, NXP Ultralight, NXP Ultralight C, NXP EV1 desfire, Broadcom Topaz 512

： rfid printing。

： , UID

： 3-10cm 。

RFID : , , , / VIP , !

： 100 PC / OPP , 10 CNT, I.E 1000pcs / CNT.

： 9-12 。

： (DHL,), 。

： EXW (), FOB (), CIF, CNF

： TT, L / C, Western Union, MoneyGram

： ISO9001-2008, SGS, ROHS, EN71.

。


RFID MOQ : 500 PC.

RFID 1



RFID 生产流程

Production process



1.Design confirm



2.Chip bonding



3. Printing



4.Matching &Compounding



8.Strip printing



7. Fabric strip producing



6. Testing & QC



5.Diecutting



9. Stringing



10.Final QC



11.Packing



12.Delivery

RFID 应用

Popular applications of Fabric RFID Wristbands



Certification



Top 10 Global Netentrepreneurs Award



BV Certificate



ISO9001:2000 Quality Management System



SGS



China Credit Example Certificate



President Member Company of Shenzhen Chamber of E-Commerce



Vice President Company of Shenzhen Association of Trading in Services



Outstanding and Honorable EBusinessman Award by Alibaba in 2010



Outstanding and Honorable E-Businessman Award by Alibaba in 2011

Our Famous Partners

SONY SAMSUNG NOKIA Connecting People BT

NXP Disney ALIEN QATAR

Midea oppo ZTE CHANEL

Coolpad McDonald's 中国移动通信 CHINA MOBILE vanguard

EXPO 2010 SHANGHAI CHINA

To be continued...

Woven Fabric Wristbands are more comfortable than RFID Wristbands. They are also more durable!