RFID PVC [] [] []:

CUSTOMIZABLE

Any shape size and color you want







RFID PVC [] [] []:

00:	
DD:	000, QR, 00, 000
RFID □:	13.56mh HF,860-920mhz UHF []
:	CMYK, 000 0 00000 00
	00, 00, QR, 000
	2018 [[[[
MOQ:	500[]

00 300000 /00 000 00 000 RFID 00 000 0000 0000.
OPP 100pcs 5000pcs. 20kg

□□ RFID][]] [[[[] ?			
---------	--	-----	-----------	--	--	--

Chip type	Protocal	Capacity	Anti collision	Function
NTAG® 213		180 Byte	NO	
NTAG® 215	ISO14443A	540 Byte	NO	Read/write
NTAG® 216		924 Byte	NO	
NTAG® are registered tradem	arks of NXP B.V.	and are used un	nder license.	
MIFARE Classic® 1K	ISO14443A	1KB	NO	
MIFARE Classic® 4K		4KB	NO	Doodhurita
MIFARE Ultralight® EV1		640 Bit	NO	Read/write
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic	are registered t	rademarks of NX	P B.V. and are used	under license.
MIFARE and MIFARE Ultraligh				
	277			
MIFARE Plus® 1K		1KB	NO	
MIFARE Plus® 2K	ISO14443A	2KB	NO	Read/write
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® a	re registered trac	lemarks of NXP E	3.V. and are used und	der license.
	775	7,1	V.	31
MIFARE® DESfire® EV1 2K		2KB	NO	
MIFARE® DESfire® EV1 4K	ISO14443A	4KB	NO	Read/write
MEADES DEOFS EM ON	1	and the		
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFIRE® EV1 8K	tered trademarks	No. of Contract	- Control of the cont	nse.
	l stered trademarks	No. of Contract	- Control of the cont	nse.
	tered trademarks	No. of Contract	- Control of the cont	nse.
MIFARE® DESFire® are regis	-	of NXP B.V. and	are used under licer	
MIFARE® DESFire® are regis	ISO15693	of NXP B.V. and	are used under licer	Read/write
MIFARE® DESFire® are regis ICODE® SLIX ICODE® SLIX-S	-	of NXP B.V. and 1KB 2KB	Yes Yes	



Applications

- ★Bars, Concerts & Nightclubs
- ★ Fairs, Festivals & Carnivals
- ★ Hotels, Resorts & Cruise Lines
- ★Water, Theme & Amusement Parks
- ★ Science Centers, Zoos & Aquariums
- ★ Racing, Bowling & Sporting events
- ★For Help of Lost Kids
- ★ For Identification of Puppies











