

**RFID NFC 卡 规格**

材质: 纸卡, 塑料卡, PVC, 金属卡.  
尺寸: 35 \* 35 mm 标准尺寸 定制尺寸.  
厚度: 0.4-0.5 mm 或 0.8-1 mm, 定制.  
频率: HF:13.56 MHz.  
芯片: HF:ISO14443A.  
芯片品牌: NXP Ntag213, Mifare S50, NXP 芯片, NXP 芯片 C, 芯片 512.  
EEPROM: 64 字节, 192 字节, 144 字节, 512 字节, 1 k 字节. 芯片 EEPROM 芯片.  
读写距离: LF / HF:3-10 cm.  
芯片品牌: 芯片, 芯片, 芯片, 芯片.  
NFC 芯片/NFC 芯片/NFC 芯片:  
NFC 芯片, NFC 芯片, 芯片, 芯片, NFC, 芯片, 芯片, 芯片, 芯片, 芯片, 芯片, 芯片, 芯片, 芯片.  
芯片: 6000000 pc/箱.  
NFC 芯片/NFC 芯片 MOQ/NFC 芯片: 500 pc.  
认证: ISO9001-2008, SGS, ROHS, EN71.  
NFC 芯片/NFC 芯片/NFC 芯片: 芯片, 芯片, 芯片, 芯片.  
芯片: 100 pc/箱, 10 芯片, 芯片, 芯片/20 芯片.  
芯片: 2000 pc/箱, 3000 pc/箱, 5000 pc/箱, 1-3 kg/1000pcs 芯片.  
芯片: 芯片, 芯片, 10 kg, 芯片 6-7 芯片.  
芯片: express(DHL,FEDEX), 芯片, 芯片.  
芯片: EXW, FOB, CIF, CNF.  
芯片: TT, 芯片, 芯片, 芯片, 芯片.

**RFID NFC 卡 规格**



NFC 00/NFC 0000 00/NFC 00

# Extensive Experience with NFC



NFC 00/NFC 000/NFC 000 00 00:



# Product Procedure





□.

□□□ □□ □□ □ □□□ □□□ □□ □ □ NFC □□□ □□□ □ □□□□. NFC □□/RFID □□□ □ □ □□□ □□□, □□ □□ □□ □□ □.