




Specificaties RFID PVC-visitekaartje:

Materiaal:	Hoge kwaliteit PVC/PET/PETG/ABS
kaart oppervlak:	Glanzende/matte/matte afwerking
Fysieke dimensie:	85.5*54*0.76mm of OEM
Kaart Gewicht:	5.5g/-0.5g
Verrichtingstemperatuur:	-20°C~60°C
Frequentie:	13.56Mhz/125Khz/860-960Mhz
Verkrijgbare kleuren:	Op aanvraag
Beschikbare afdrukmethode:	Offset/Zeefdruk/Digitaal printen/UV-printen
Drukkleur:	Aan beide zijden in 1 tot full colour te bedrukken, ook pantonekleuren of zeefdrukkleuren
Ambachten:	Signature-paneel, kraspaneel, UV-spot Streepjescode: CODE128, CODE39, EAN8, EAN13 enz. Hot stamping goud/zilver folie kleur Cijfers of teksten in thermisch/inkjet/reliëf/lasergegraveerd/UV-afdrucken





A. ①Gold Color ②Laser Gold Stamping
③Gold hot Stamping



B. ①Silver Color ②Laser Silver Stamping
③Silver hot Stamping



C. ①EAN 13 Barcode ②Code 128 ③Code 39
④QR Code ⑤Card NO. & PIN Code
⑥Laser Code ⑦ Flat Code



D. ①Gold Magnetic Stripe
②Black narrow Magnetic Stripe
③Silver Magnetic Stripe



E. ①4428 Chip ②Large Convex Code
③Small Convex Code



F. ①4442 Chip ②Gold Flat Code
③Gold Silk Screening ④Silver Silk Screening



G. ①Silver drawbench ②Frosted UV



H. ①Pearlescent Color ②Anti-fake label
③RFID Chip



I. Embossed printing



J. Laser Material



K. ①Matt finish ②Gold drawbench
③UV vanish



L. ①Frosted finish ②Metal Label

