
Blank White UHF RFID Smart Card ISO18000-6C

<u>UHF RFID card</u> is packaged with Alien 9662 inlay. It complies with EPC global Class 1 Gen 2 and ISO-18000-6C standard. Reading and writing distance up to $8 \sim 15$ meters. Can be widely used in supply chain management, logistics and distribution, product certification, fixed asset inventory and tracking, baggage handling and tracking, item-level labeling, etc.

Blank UHF RFID Card Structure



Blank UHF RFID Card Feature

1 pc packed in one OPP bag, can protect the card efficiently; Long service life, high reliability and low cost; Small size, easy to carry; Sensitive; Large storage capacity; Good security and confidentiality; Wide range of applications; High immunity



Product Specification

| Product Name | Blank UHF RFID Card |
|-------------------|---|
| Material | PVC, PET |
| Size | 85.5*54*0.84mm or customized |
| Surface | Glossy, Matte, Frosted |
| Craft | QR code, DOD barcode, Encoding, UV, Silver/Gold background |
| Printing | White or Customized printing |
| Chip | Alien H3 |
| Frequency | UHF/860∏960Mhz |
| Protocol | ISO18000-6C & EPC Class1 Gen2 |
| Application | Warehouse, asset management, electronic tickets, logistics bags, postal parcels, etc. |
| MOQ | 500pcs |
| Sample | Free sample for testing |
| Packaging Details | 1 pc packed in one OPP bag, 200 pcs/box, 10 boxes/carton |
| Lead Time | 6-10 working days |

Blank UHF RFID Card Packing Details

