There is no printed content on the blank RFID card. Only laminated bothsides for customer reprinting with thermal printer. Many customers order large quantity blank cards. They print the blank cards by their printer that can save a lot of cost. Generally laminated coated overlay should be added on blank card, and then it is printable by customer.

Product Specification:

Product Name	Blank RFID cards
Material	PVC, PET
Size	85.5*54*0.84mm or customized
Surface	Glossy, Matte, Frosted
Craft	Barcode, magnetic stripe, signature stripe, UV, embossing, etc.
Printing	White or printed
Chip	Ultralight, NTAG 213, MIFARE Classic 1K/4K, etc
Frequency	HF/13.56MHz
Protocol	ISO14443A/ISO15693
Application	Access Control, identification, attendance system, transpotation, hotel, etc.
Packaging Details	200 pcs/box, 10 boxes/carton
Lead Time	6-10 working days

Blank RFID Cards

Structure

Overlay
PVC Sheet
Inlay PVC Sheet
Inlay with coil and chip
Inlay PVC Sheet
PVC Sheet
Overlay

Inlay

Crafts

| Barcode | golden Hot Stamping | Embossed Numbering | Epoxy | UV Coating |

| Signature Panel | Silver Hot Stamping | Hologram | Scratch Panel | Magnetic Stripe |

Applications

Loyalty

Time Attendance

Cashless Payment

Transportation

Hotel Room

Access Control